

SUPPLEMENT TO

The Gazette



of India

सत्यमेव जयते

No. 16]

NEW DELHI, SATURDAY, APRIL 20, 1957/CHAITRA 30, 1879

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 23rd March, 1957

CHOLERA							SMALLPOX						
PLAGUE							CHOLERA						
							SMALLPOX						
C. D. C. D. C. D.							C. D. C. D.						
Andhra Pradesh							Bombay						
Srikakulam	47	5	Greater Bombay	175	30	
Visakhapatnam	2	Ahmedabad	48	15	
East Godavari	9	4	Amreli	11	5	
West Godavari	35	3	Banaskantha	7	..	
Krishna	..	32	16	56	8	..	Broach	52	7	
Guntur	..	5	4	97	16	..	Mehsana	21	9	
Nellore	..	14	4	24	2	..	Panchmahals	9	1	
Kurnool	..	2	2	45	3	..	Surat	44	9	
Cuddapah	4	1	..	Ahmednagar	25	1	
Chittoor	7	East Khandesh	16	4	
Karimnagar	..	6	3	..	1	..	Kolaba	3	1	
Nizamabad	..	14	7	7	3	..	Kolhapur	..	9	2	7	..	
Medak	..	36	11	..	3	..	Nasik	26	1	
Nalgonda	2	Poona	..	19	5	3	1	
Mahboobnagar	..	2	..	1	Ratnagiri	8	2	
Hyderabad	..	7	1	59	16	..	Sholapur	..	36	12	1	1	
TOTAL	..	118	48	393	67	..	Thana	2	2	
Total for w/e 16-3-57	86	30	329	65	West Khandesh	..	16	1	24	5	
Total for w/e 9-3-57	128	57	246	48	Buldana	16	1	
							Chanda	138	14	
							Sabarkantha	6	..	
							Amravati	11	1	
							Parbhani	4	1	
							Wardha	17	..	
							Ycetmal	36	7	
							Aurangabad	1	..	
							Gohilwad	1	..	
							Kutch	2	..	
							Zalwad	2	1	
							TOTAL	..	80	20	716	119	
							Total for w/e 16-3-57	2	1	863	138		
							Total for w/e 9-3-57	24	8	510	113		

Explanation of Symbols used : C=Cases; D=Deaths; ..=Nil; "NR" =Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 23rd March, 1957—*contd.*

CHOLERA								SMALLPOX								PLAGUE																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
C.								D.								C.								D.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
Delhi								Madras—contd.								Salem								Coimbatore																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
Delhi City	10

Explanation of Symbols used: C=Cases; D=Deaths; ..=Nil; N.R.=Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 23rd March, 1957—*contd.*

CHOLERA								CHOLERA							
SMALLPOX				PLAQUE				SMALLPOX				PLAQUE			
C.	D.	C.	D.	C.	D.	—		C.	D.	C.	D.	C.	D.	C.	D.
Pondicherry								Uttar Pradesh—<i>contd.</i>							
TOTAL	22	12		Banaras	9	11	
Total for w/e 16-3-57	51	18		TOTAL	78	36	
Total for w/e 9-3-57	27	25		Total for w/e 16-3-57	60	12	
								Total for w/e 9-3-57	46	10	
Punjab								West Bengal							
Jullundur	2		"N.R."							
Gurdaspur	1	1		TOTAL	
TOTAL	3	1		Total for w/e 16-3-57	68	30	542	295	
Total for w/e 16-3-57	4		Total for w/e 9-3-57	118	60	678	297	
Total for w/e 9-3-57	9	2		Grand Total for this							
								India (Excluding							
								Assam, Bihar,							
								Kerala, Rajasthan							
								West Bengal)	249	95	1861	410	1	..	
								Corresponding							
								Total for w/e 16-3-57	148	62	1858	358	
								Corresponding							
								Total for w/e 9-3-57	193	81	1291	285	
Rajasthan								ARREAR INFORMATION							
"N.R."								Rajasthan							
Tripura								<i>For w/e 16-2-57</i>							
TOTAL	13	7	..	—		Barmer	9	9	
Total for w/e 16-3-57	12	6	12	6		Jaipur	
Total for w/e 9-3-57								Sikar	3	1	
								Alwar	2	
								Udaipur	9	
								Chittoor	1	
								Bikaner	10	1	
								Ganganagar	2	2	
								Ajmer	2	1	
								Jodhpur	2	
								TOTAL	95	25	
Uttar Pradesh								Andhra Pradesh							
Agra	7	1		<i>For w/e 9-3-57</i>							
Allahabad	18	3		Nizamabad	3	2	
Deoria	3	2		Medak	..	45	13	
Falzarabad	2	1		Mehboobnagar	1	
Fatehpur	1		Hyderabad	42	14	
Ghazipur	4		Visakhapatnam	17	4	
Gonda	1		Srikakulam	5	2	
Gorakhpur	10									
Hamirpur	2	1									
Jhansi	1									
Jaunpur	2									
Kanpur	1	1									
Kheri	9	5									
Lucknow	1	9									
Mathura	5	2									
Saharanpur	1									
Unao	1									

Explanation of symbols used : C.—Cases; D.—Deaths; ..—Nil. "N. R."—Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 23rd March, 1957—*concl.*

CHOLERA SMALLPOX PLAGUE

— C. D. C. D. C. D.

Andhra Pradesh—

POLIOMYELITIS

Godavari East	..	2	8	1	Information based on patients treated in hospitals in important towns			
Godavari West	6				
Krishna	..	49	26	52	12	..	Fortnight			
Guntur	..	4	1	Place	Fortnight Ending	Cases	Death (Paralytic)
Nellore	..	7	3	20	4	..	Madras	15-2-57	2	..
Kurnool	..	19	10	50	2	..	Do.	28-2-57	8	..
Annampur	..	4	2	2	1	..	Do.	15-3-57	29	..
Chittoor	24	5	..	West Bengal	15-1-57	1	..
Cuddapah	8	Do.	31-1-57	1	..
TOTAL	128	57	246	48	Punjab	15-3-57	19	..

Explanation of symbols used : C.—Cases ; D.—Deaths ; .. —Nil.

NEW DELHI-2 (INDIA);

The 15th April, 1957.

K. MITRA,

for Registrar General, India.

Prosper with the NATION

INVEST YOUR SAVINGS IN

GOVERNMENT OF INDIA'S *Small Savings Scheme*

and help India's

- COMMUNITY DEVELOPMENT PROGRAMME
- GREAT RIVER VALLEY PROJECTS
- SOCIAL WELFARE SCHEMES
- RAIL AND ROAD DEVELOPMENT

PUT YOUR MONEY IN ANY OF THESE ATTRACTIVE GUARANTEED SECURITIES

12-YEAR NATIONAL SAVINGS CERTIFICATES	Interest at 4½ per cent per annum at maturity. Available in denominations of Rs. 5/- to Rs. 5,000/-. Individual holding upto Rs. 25,000/-.
10-YEAR TREASURY SAVINGS DEPOSIT CERTIFICATES	3½ per cent interest paid annually. Available in multiples of Rs. 100/- upto Rs. 25,000/-. Individual holding upto Rs. 25,000/-.
10-YEAR NATIONAL PLAN CERTIFICATES	Interest at 4½ per cent per annum at maturity. Issued in denominations of Rs. 25/-, Rs. 50/-, Rs. 100/- & Rs. 500/-. Individual holding upto Rs. 1,000/-.
POST OFFICE SAVINGS BANK ACCOUNTS	2 per cent interest added on deposits upto Rs. 10,000/- and 1½ per cent on balance upto Rs. 15,000/-.
15-YEAR ANNUITY CERTIFICATES	
Issue Prices: Rs. 3,500/-, Rs. 7,000/-, Rs. 14,000/- & Rs. 28,000/-. Individual holding upto Rs. 28,000/-.	Refunded together with compound interest at 3½ per cent per annum in the form of monthly payments spread over a period of fifteen years.

YOU ARE ASSURED OF A HANDSOME RETURN FREE OF INCOME-TAX

For further particulars and/or rules governing these investments please write to the National Savings Commissioner Simla, or to the Regional National Savings Officer of your State.

INVEST IN INDIA'S FUTURE

Births and Deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 23rd March, 1957.

Deaths from :—

Town	Mid-year Popn.-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Andhra Pradesh		"N. R."											
Assam		"N. R."											
Bihar													
Arrah	70	10	7.4	2	2	1.5	..
Bihar	68	11	8.4	3	6	4.6	..
Bettiah†													
Bhagalpur	126	22	9.1	..	2	..	1	16	6.6	..
Chapra	69	35	26.4	9	6.8	..
Darbhanga†													
Dhanbad†													
Dinapur	44	3	3.5	1	2	4	4.7	..
Gaya	149	13	4.5	11	2	8	1	29	10.1	..
Hazaribagh	39	11	14.7	1	..	7	9.3	..
Jamalpur	47	7	7.7	2	7	7.7	..
Jamshedpur	246	125	26.4	2	..	17	3.6	4
Katihar	51
Monghyr†													
Muzaffarpur	84	21	13.0	1	16	9.9	..
Patna	330	83	13.1	..	1	..	3	20	3.2	..
Ranchi	130	17	6.8	6	11	4.4	2
TOTAL	1,453	358	12.8	..	3		29	2	12	3	144	5.2	6
Bombay													
Ahmedabad	889	747	43.7	..	14	..	22	8	102	..	381	22.3	98
Ahmednagar	88	88	52.0	1	2	7	..	30	17.7	4
Amalner	50	29	30.2	11	..	5	..	21	21.8	3
Baroda	242	279	60.0	15	3	16	1	82	17.6	24
Barsi	46	36	40.7	8	..	3	..	27	30.5	5
Bhusawal	62	30	25.2	..	1	..	1	..	1	..	8	6.7	3
Broach	67	52	40.4	5	..	4	..	18	14.0	1
Cambay†													
Chalisgaon	35	34	50.5	9	..	1	..	12	17.8	2
Dhulia	89	48	28.0	..	1	..	2	1	5	..	17	9.9	2
Godra	40	65	84.5	7	10	13.0	..
Greater Bombay	3,449	1,443	21.8	..	30	..	3	22	118	6	693	10.4	141
Jalgaon	79	26	17.1	9	1	3	..	22	14.5	3
Kalyan	73	35	24.9	..	2	..	1	1	7	5.0	3
Kolhapur	159	100	32.7	3	1	13	..	47	15.4	5
Malegaon	63	62	51.2	25	1	4	..	35	28.9	6
Miraj	44	37	43.7	1	1	8	..	29	34.3	2
Nadiad	71	50	36.6	17	..	1	..	31	22.7	8
Achalpur	38	28	38.3	3	..	1	..	7	9.6	3
Kamptee	36	11	15.9	1	3	4.3	2
Chanda	43	23	27.8	6	15	18.1	5
Parbhani	40	8	10.4	3	..	3	..	7	9.1	..
Morvi	43	21	25.4	3	..	3	3.6	..
Akola	104	51	25.5	11	1	5	..	33	16.5	..
Hinganghat	35	18	26.7	6	6	8.9	2
Bhavnagar	157	82	27.2	7	2	11	..	37	12.3	9
Yavatmal	41	30	38.0	..	4	..	4	5	16	20.3	..

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil Information ; "N. R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 23rd March, 1957—*contd.*

Town	Mid-year Popn-Est. (000)	B.	B.R.*	C.	Deaths from :—							Total	D.R.*	I.D.
					S.]	P.	F.	D.D.	R.D.	M.D.				
Bombay—contd.														
Aurangabad	73	14	10.0	1	..	2	..	4	2.8	..	
Nanded	80	19	12.4	5	12	7.8	..	
Porbander	64	28	22.8	4	1	1	1	16	13.0	3	
Rajkot	167	102	31.8	..	2	..	16	2	4	..	39	12.1	8	
Veraval	46	7	7.9	1	2	4	4.5	..	
Jalna	69	4	3.0	4	..	5	..	13	9.8	..	
Jamnagar	122	189	80.6	..	2	..	5	4	1	2	27	11.5	6	
Nagpur	528	372	36.6	..	4	..	17	5	16	..	164	16.2	46	
Amravti	101	111	57.1	..	4	..	8	17	8.8	7	
Gondia	45	20	23.1	3	1	7	8.1	3	
Khangaon	42	20	24.8	4	8	9.9	..	
Junagadh	65	33	26.4	..	1	..	14	..	1	1	26	20.8	..	
Nandurbar	35	22	32.7	4	..	2	..	14	20.8	3	
Nasik	119	69	30.2	4	2	8	..	29	12.7	3	
Navasari	50	35	36.4	..	6	..	8	22	22.9	5	
Pandharpur	44	33	39.0	2	2	1	5	..	16	18.9	3	
Patan	47	40	44.3	1	4	..	24	26.6	4	
Poona	607	328	28.1	6	7	20	1	123	10.5	21	
Sangli	58	36	32.3	1	2	1	..	10	9.0	2	
Satara	40	32	50.7	..	1	..	4	..	3	..	17	22.1	4	
Sholapur	299	233	40.5	20	4	32	1	102	17.7	27	
Surat	250	167	34.7	14	2	21	1	105	21.8	27	
Thana	61	35	29.8	..	6	..	6	2	5	..	29	24.7	5	
TOTAL	9,095	5,389	30.8	2	78	..	332	79	445	20	2,425	13.9	508	
Delhi State														
Delhi City	1,124	604	27.9	44	2	34	1	165	7.6	37	
New Delhi	374	207	28.8	1	..	45	6.3	8	
N.A.C. Civil Station Delhi	117	68	30.2	..	6	..	1	1	2	..	18	8.0	4	
Delhi Cantt.	50	2	..	3	3.1	..	
Delhi-Shahadara	53	49	48.1	3	..	4	..	13	12.8	3	
TOTAL	1,718	928	28.1	..	6	..	48	3	43	1	244	7.4	52	
Kerala														
Trivandrum	218	31	7.4	3	3	45	..	38	9.1	1	
Quilon	75	96	66.6	..	6	1	2	..	15	10.4	2	
Alleppey	148	159	55.9	3	1.1	..	
Changanacherry	41	30	38.0	1	1	..	5	6.3	2	
Kottayam	50	50	52.0	2	1	14	14.6	..	
Mattancherry	85	57	34.9	2	..	2	..	16	9.8	3	
Ernakulam	70	64	47.5	4	8	..	30	22.3	2	
Trichur	76	65	44.5	1	2	1	9	6.2	2	
Kozhikode	176	142	42.0	..	1	..	9	1	6	..	58	17.1	11	
Palaghat	77	64	43.2	2	1	13	8.8	4	
Cannanore	47	24	26.6	1	12	13.3	4	
Tellicherry	42	37	45.8	1	2	..	13	16.1	3	
Cochin	32	29	47.1	1	..	3	..	7	11.4	2	
TOTAL	1,137	848	38.8	..	7	..	18	13	73	2	233	10.7	36	

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate, I.D.—Infantile Deaths (included in total deaths) ; ..—Nil information. "N.R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 23rd March, 1957—*contd.*

Town	Mid.-year Popn.-Est. (000)	B.	B. R.*	Deaths from :—									Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.					
Madras															
Ambur . . .	44	19	22.4	..	1	1	5	5.9	1		
Aruppukottai . .	56	95	41.8	2	3	2	..	12	11.1	6		
Bodinayakanpur†															
Chidambaram . .	39	38	50.7	19	25.3	7		
Coimbatore †															
Cuddalore . . .	74	74	52.0	5	3	5	2	30	21.1	4		
Dindigul . . .	90	34	19.6	1	2	1	..	18	10.4	3		
Erode . . .	67	69	53.5	..	22	..	2	1	6	1	51	39.6	8		
Gobichetty Palyant†															
Guddiyattam†	53	26	25.5	1	3	3	1	19	18.6	4		
Kancheepuram . .	90	72	41.6	..	3	..	2	3	6	1	30	17.3	4		
Karaikudi . . .	44	18	21.3	10	11.8	1		
Karur . . .	50	34	35.4	1	..	8	8.3	2		
Kumbakonam . .	105	68	33.7	..	1	..	2	2	1	..	12	5.9	4		
Madras . . .	1,703	1,408	43.0	..	10	..	1	84	161	5	658	20.1	381		
Mathurai . . .	427	296	36.0	..	1	..	14	7	29	1	131	16.0	29		
Mayuram . . .	49	36	38.2	2	..	4	4.2	1		
Malapalyam . . .	41	17	21.6	1	1	4	5.1	2		
Nagapattinam . .	60	68	58.9	..	2	..	5	2	3	3	28	24.3	5		
Ootacamund . . .	48	22	23.8	2	..	7	7.6	4		
Palni . . .	40	28	36.4	..	1	..	1	..	3	..	7	9.1	2		
Palayamkottai . .	45	52	60.1	2	3	14	16.2	2		
Periyakulam . . .	34	30	45.9	2	1	..	13	19.9	3		
Pollachi . . .	51	41	41.8	2	3	13	13.3	1		
Pudukottai . . .	50	19	19.8	4	4.2	..		
Rajapalayam . . .	69	68	51.2	..	1	..	3	5	4	..	22	16.6	2		
Salem . . .	241	140	30.2	..	6	..	6	7	10	..	67	14.5	6		
Srirangam . . .	42	51	63.1	1	1	..	6	7.4	1		
Srivilliputtur . .	44	38	44.9	4	1	..	1	17	20.1	3		
Tanjore . . .	118	54	23.8	3	4	3	..	33	14.5	6		
Tiruvannamalai . .	45	43	49.7	2	2	3	20	23.1	6		
Tirunelveli †	80	58	37.7	2	1	..	16	10.4	5		
Tiruppur . . .	63	43	35.5	2	1	1	15	12.4	1		
Tiruchirappalli . .	251	198	41.0	..	10	..	7	5	15	2	103	21.3	15		
Nagercoil . . .	94	33	18.3	2	1	2	2	12	6.6	..		
Tuticorin†															
Vaniyambadi . . .	43	32	38.7	1	2	3	..	13	15.7	3		
Vellore . . .	124	99	41.5	3	7	11	..	54	22.6	18		
Villupuram . . .	39	27	36.0	..	3	4	6	..	20	26.7	5		
Virudunagar . . .	53	55	54.0	3	6	..	14	13.7	4		
TOTAL	4,566	3,453	39.3	..	61	..	70	163	291	24	1,509	17.2	549		
Mysore															
Bangalore . . .	977	627	33.4	..	3	..	4	39	67	..	203	10.8	..		
Mysore . . .	294	349	61.7	..	1	..	11	1	62	11.0	..		
Kolar Gold Fields .	173	88	26.4	8	3	5	..	27	8.1	..		
Bel'ary . . .	78	32	21.3	2	..	1	..	11	7.3	11		
Davangere . . .	69	35	26.4	7	25	18.8	..		
Shimoga . . .	57	40	36.5	..	4	..	10	17	15.5	..		
Hassan . . .	30	22	38.1	2	3.5	..		
Belgaum . . .	110	108	51.1	8	1	8	..	58	27.4	..		
Bijapur . . .	75	40	27.7	3	..	3	..	13	9.0	..		
Dharwar . . .	76	35	23.9	1	1	14	9.6	..		
Mangalore . . .	136	88	33.6	3	..	1	..	8	3.1	..		
Bhagalot . . .	36	28	40.4	1	1	6	8.6	..		
TOTAL	2,111	1,492	36.8	..	8	..	58	45	85	1	446	11.0	..		

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimate^a may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil Information ; "N.R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 23rd March, 1957—*contd.*

Town	Mid-year Popn, Est. (000)	B.	B.R.*	Deaths from :—							Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.			
Orissa													
Berhampur	72	45	32.5	4	2	..	1	15	10.8	3
Cuttack	117	120	53.3	7	4	8	..	48	21.3	6
Puri	53	47	46.1	15	3	2	..	34	33.4	8
TOTAL	242	212	45.6	26	9	10	1	97	20.8	17
Pondicherry													
"N. R."													
Punjab (1)													
Ambala	65	52	41.6	3	..	2	..	11	8.8	3
Amritsar	343	284	43.1	1	23	1	60	9.1	16
Batala	62	45	37.7	3	..	3	..	9	7.6	2
Bhatinda	39	19	25.3	1	1	1.3	1
Bhiwani	57	40	36.5	3	5	4.6	1
Ferozepore	45	24	27.7	1	2	4	4.6	2
Hissar	39	24	32.0	7	9	12.0	5
Hoshiarpur	51	26	26.5	2	..	8	8.2	..
Jullundur	200	156	40.6	3	1	8	..	19	5.0	7
Karnal	72	39	28.2	6	..	2	..	10	7.2	..
Malerkotla	34	35	53.5	4	..	1	3	8	12.2	..
Ludhiana	176	151	44.6	14	28	8.3	3
Moga	41	27	34.2	7	..	3	..	10	12.7	3
Panipat	64	25	20.3	11	..	1	..	14	11.4	..
Patiala	111	186	87.1	28	3	2	..	67	31.4	13
Pathankot	34	29	44.4	..	1	1	..	5	7.6	2
Rewari	36	25	36.1	2	5	7.2	..
Rohtak	105	67	33.2	3	1	1	..	13	6.4	5
Simla	50	30	31.2	1	..	4	4.2	1
Sohnapat	34	26	39.8	2	1	1	..	6	9.2	1
TOTAL	1,658	1,310	41.1	..	1	..	97	10	51	4	296	9.3	65
Rajasthan													
"N.R."													
Uttar Pradesh													
Agra	375	250	34.7	4	39	..	71	9.8	11
Allahabad	349	145	21.6	..	2	2	33	..	60	9.0	13
Amroha	61	49	41.8	1	..	3	..	11	9.4	2
Bahraich	47	25	27.7	1	5	5.5	2
Banaras	383	234	31.8	42	12	26	1	190	25.8	28
Ballaht													
Banda†													
Bareilly	203	31	8.0	5	1	9	..	17	4.4	2
Budaun	54	25	24.1	2	..	5	..	9	8.7	..
Basti†													
Bulandshahr	42	10	12.4	3	3	3.7	..
Chandaui	41	27	34.2	3	2	4	..	13	16.5	4
Dehra Dun†													
Etawah	64	44	35.8	5	..	3	..	18	14.6	7
Faizabad-Ayodhya	88	15	8.9	3	..	1	..	9	5.3	2
Farrukhabad-Fatehgarh	82	33	21.0	5	1	5	..	16	10.1	..
Ferozabad	79	30	19.8	3	1	8	5.3	1
Ghaziabad	46	26	29.4	3	..	1	..	5	5.7	1
Ghaziipur	36	15	21.7	5	..	1	..	11	16.0	..
Gorakhpur	140	42	15.6	5	2	4	..	19	7.1	5
Gonda	35	10	14.9	2	..	1	..	3	4.5	..

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :— B.—Births; B. R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fevers; D. D.—Dysentery and Diarrhoea; R. D.—Respiratory Diseases; M. D.—Maternal Deaths; D. R.—Death Rate; I. D.—Infantile Deaths (included in total deaths); ..—Nil information; "N.R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 23rd March, 1957—*contd.*

Town	Mid.-year Popn. Est. (000)	B.	B.R.*	Deaths from —							Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.			
Uttar Pradesh—contd.													
Hapur	49	50	53.1	2	9	9.6	1
Hardwar	64	39	31.7	4	..	4	..	11	9.0	1
Hathras	62	38	32.0	8	2	3	..	17	14.3	1
Jaunpur	56	20	18.6	5	..	3	..	12	11.1	1
Jhansi	116	70	31.4	25	25	11.2	3
Kanpur†													
Kasganj†													
Khurja	41	19	24.1	1	..	1	..	4	5.1	1
Koili-Aligarh	150	42	14.6	4	1	2	..	20	7.0	2
Lucknow	494	272	28.6	10	2	13	..	103	10.8	25
Mathura	110	58	27.4	3	..	6	..	17	8.0	2
Mau-Nath Bhanjan	38	12	16.4	8	4	20	27.4	3
Meerut	185	95	26.7	4	..	7	..	18	5.1	3
Mirzapur-Vindhyachal	97	30	16.1	4	1	7	..	16	8.6	3
Moradabad	164	110	35.0	12	1	10	..	40	12.7	4
Muzaffarnagar	74	30	21.1	1	..	1	..	4	2.8	2
Pilibhit	45	30	34.7	3	3	5	..	14	16.2	4
Rampur	158	22	7.2	1	3	1.0	..
Saharanpur	162	86	27.6	23	1	3	..	28	9.0	5
Sambhal	65	48	38.4	9	..	8	1	21	16.8	6
Shahjahanpur†													
Sitapur	49	28	29.7	4	4	4.2	2
TOTAL	4,304	2,110	25.5	..	2	..	219	40	208	2	854	10.3	147

West Bengal

"N.R."

Andhra

For w/e 2-3-1957

Adoni	63	45	37.1	2	..	10	8.3	4
Anantpur†													
Anakapalli	46	21	23.7	1	..	9	10.2	3
Bhimavaram	36	17	24.6	5	7.2	1
Chirala†													
Chittoor	45	73	84.4	1	1	12	13.9	1
Guddapah	42	30	37.1	..	1	..	2	..	3	..	14	17.3	1
Eluru	99	82	43.1	5	1	2	1	35	18.4	4
Gudivada	36	19	27.4	1	4	5.8	1
Guntur	147	80	28.3	..	2	..	6	1	12	..	62	21.9	12
Guntakal	37	29	40.8	3	1	3	1	12	16.9	4
Kakinada	113	68	31.3	9	..	1	..	27	12.4	2
Kurnool	68	125	95.6	..	3	..	4	3	5	1	42	32.1	7
Masulipatnam	88	30	17.7	..	2	15	8.9	1
Nandyal	37	11	15.5	..	1	1	2	6	8.4	2
Nellore	95	90	49.3	4	3	1	..	33	18.1	7
Proddatur	42	20	24.8	..	1	..	1	..	1	..	7	8.7	1
Rajahmundry	122	71	30.3	7	..	3	..	45	19.2	11
Tenali	67	37	28.7	3	1	7	..	25	19.4	4
Vijayvada	201	102	26.4	8	3	..	3	45	11.6	9
Visakhapatnam, J.	128	62	25.2	..	1	..	6	3	7	..	45	18.3	8
Vizianagaram	75	26	18.0	4	3	1	1	22	15.3	8
Hyderabad City	1,057	690	34.0	..	15	..	32	2	14	2	230	11.3	24
Secunderabad City	162	127	40.8	..	2	..	4	1	7	..	33	10.6	7
TOTAL	2,806	1,855	34.4	..	28	..	100	22	72	12	738	13.7	122

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information; "N.R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 23rd March, 1957—*contd.*

Town	Mid.-year Popn.-Est. (000).	B.	B.R.*	Deaths from 1—								Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.				
Andhra Pradesh				For w/e 9-3-1957										
Adoni	63	45	37.1	2	10	8.3	1	
Anantpur†														
Anakapalli	46	35	39.6	3	10	11.3	3	
Bhimavaram	36	28	40.4	2	5	7.2	2	
Chirala	43	13	15.7	5	9	10.9	2	
Chittoor	45	30	34.7	2	13	15.0	2	
Cuddapah	42	48	59.4	2	..	2	1	15	18.6	6	
Eluru	99	59	31.0	7	1	2	2	46	24.2	7	
Gudivada	36	26	37.6	2	2	7	10.1	3	
Guntur	147	80	28.3	6	1	12	..	62	21.9	12	
Guntakal	37	24	33.7	1	..	1	1	10	14.1	1	
Kakinada	113	68	31.3	11	28	12.9	2	
Kurnool	68	75	57.4	..	1	..	1	1	2	1	25	19.1	1	
Masulipatnam	88	55	32.5	3	..	1	..	17	10.0	4	
Nandyal	37	30	42.2	2	..	2	..	5	7.0	..	
Nellore	95	78	42.7	3	6	3	1	..	42	23.0	9	
Proddatur	42	26	32.2	2	1	2	..	11	13.6	2	
Rajahmundry	122	55	23.4	8	..	1	..	29	12.4	5	
Tenali†														
Vijayvada	201	99	25.6	..	2	..	10	1	7	..	42	10.9	5	
Visakhapatnam	128	58	23.6	..	2	..	4	3	12	..	38	15.4	9	
Vizianagaram	75	29	20.1	2	..	25	17.3	9	
Hyderabad City	1,057	144	7.1	..	14	..	38	2	14	..	40	2.0	14	
Secunderabad city	162	117	37.6	..	2	..	1	3	9	2	50	16.0	10	
TOTAL	2,782	1,222	22.8	3	21	..	118	18	70	7	539	10.1	109	
West Bengal				For w/e 16-3-1957										
Asansol†														
Baidyabati†														
Bally	66	3	2.4	1	1	..	2	1.6	..	
Bankura	50	16	16.6	1	..	3	3.1	..	
Bansberia†														
Baranagar	90	30	17.3	..	1	1	11	6.4	6	
Basirhat	39	3	4.0	..	1	2	2.7	1	
Berhampur	64	2	1.6	..	3	1	5	4.1	..	
Bhadreshwar	34	4	6.1	1	1.5	..	
Bhatpara	143	16	5.8	4	1	5	..	14	5.1	2	
Budge Budge	32	10	16.3	2	..	2	3.3	..	
Burdwan	82	29	18.4	2	..	5	3.2	..	
Calcutta	2,984	1243	21.7	1	111	..	110	41	194	1	931	16.2	244	
Chamodani	41	5	6.3	3	3.8	..	
Cooch Behar†														
Darjeeling†	38	15	20.5	2	..	1	..	9	12.3	..	
English Bazar†														
Garden Reach	124	2	0.8	..	4	..	10	7	9	..	36	15.1	2	
Halisahar	41	4	5.1	3	3.8	..	
Hoogly-Chinsurah	60	88	76.3	..	7	..	3	2	1	1	21	18.2	2	
Howrah	477	117	12.8	..	78	..	17	7	36	..	197	21.5	46	
Jalpaiguri†														
Kamarhati†														
Kanchrapara	74	7	4.9	1	1.7	1	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B = Births; B.R. = Birth Rate; C. = Cholera; S. = Smallpox; P. = Plague; F. = Fevers; D.D. = Dysentery and Diarrhoea; R.D. = Respiratory Diseases; M.D. = Maternal Deaths; D.R. = Death Rates; I.D. = Infantile Deaths (included in total deaths); .. = Nil Information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 23rd March, 1957—*contd.*

Town	Mid-year Popn. Est. (000)	Deaths from :—										Total	D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.				
West Bengal—contd.														
Krishnagar	56
Midnapore	45	13	15.0	2	2	2	..	19	22.0
Nabadwip	70	34	25.3	6	1	..	1	11	8.2	1	..
Naihati	62	6	5.0	..	1	4	3.4
North Barrackpore	36	3	4.3	1	1.4
Panihati	65	7	5.6	..	5	..	1	1	1	..	20	16.0
Shantipur	49	16	17.0	3	13.2
Serampore	83	38	23.8	..	1	..	7	1	2	..	27	16.9	8	..
Siliguri	44	17	20.1	1	1	4	4.7
South Dum Dum†														
South Suburban	124	27	11.3	1	5	2	..	23	9.6	3	..
Titagarh	78	20	13.3	..	3	..	29	..	1	1	34	22.7	8	..
TOTAL	5,151	1775	17.9	1	215	..	192	71	261	5	1,392	14.1	324	..

Bihar*w/e 16-3-57*

Arrah	70	6	4.5	2	3	2.2
Bihar	68	7	5.4	2	3	2.3
Bettiah†
Bhagalpur	126	28	11.6	5	23	9.5
Chapra†
Darbhanga†
Dhanbad†	44	2	2.4	2	..	2	2.4
Dinapur	149	29	10.1	13	2	14	..	35	12.2
Gaya
Hazaribagh	39	8	10.7	2	2.7
Jamalpur	47	3	3.3	1	3	3.3
Jamshedpur	246	108	22.8	10	2.1	5	..
Katihar	51
Monghyr†	84	22	13.6	3	14	8.7
Muzaffarpur
Patna	330	96	15.1	2	1	47	7.4
Ranchi	130	15	6.0	4	2	10	4.0	4	..
TOTAL	1,384	324	12.2	32	5	16	..	152	5.7	9	..

Andhra Pradesh*For w/e 16-3-57*

Adoni	63	48	39.6	1	1	3	..	12	9.9	1	..
Anatpur	38	26	35.6	1	..	2	..	9	12.3	1	..
Anakapali	46	14	15.8	3	..	1	..	15	17.0	5	..
Bhimavaram	36	8	11.6	1	1	1	8	11.6	1	..
Chirala	43	30	36.3	5	12	14.5	2	..
Chi oor	45	36	41.6
Cuddapah	42	27	33.4	..	1	..	1	..	6	1	19	23.5	5	..
Eluru†
Gudivada	36	6	8.7	1	2	2.9
Guntur	147	84	29.7	4	1	2	..	24	8.5	3	..
Guntakal	37	20	28.1	2	..	1	..	7	9.8	3	..
Kakinada	113	81	37.3	..	2	..	9	28	12.9	1	..

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil Information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 23rd March, 1957—concl'd.

Deaths from :—

Town	Mid.-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Andhra Pradesh—cont'd.													
Kurnool . . .	68	63	48.2	..	2	..	1	3	3	..	20	15.3	1
Masulipatnam . . .	88	81	47.9	1	..	2	..	24	14.2	3
Nandyal . . .	37	27	37.9	..	3	1	1	..	16	22.5	2
Nellore . . .	95	47	25.7	3	2	29	15.9	4
Proddatur . . .	42	23	28.5	1	11	13.6	3
Rajahmundry . . .	122	47	20.0	4	23	9.8	10
Tenali . . .	67	32	24.8	..	5	..	1	..	3	..	17	13.2	2
Vijayvada . . .	201	68	17.6	..	1	..	7	1	2	..	35	9.1	9
Visakhapatnam . . .	128	61	24.8	..	5	..	7	..	13	..	36	14.6	8
Vizianagaram . . .	75	33	22.9	..	2	..	4	2	1	..	22	15.3	6
Hyderabad City . . .	1,057	317	15.6	..	16	..	26	3	18	1	95	4.7	32
Secundrabad City . . .	162	107	34.3	..	1	..	3	2	6	..	32	10.3	7
Warrangal . . .	155	36	12.1	7	8	2.7	..
TOTAL . . .	2,943	1,322	23.4	..	38	..	92	17	65	3	504	8.9	109

Orissa

Supplementary for w/e 16-3-57

Puri . . .	53	33	32.4	12	4	4	1	40	39.2	9
------------	----	----	------	----	----	----	----	---	---	---	----	------	---

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

Explanation of symbols used : —B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); .. —Nil Information.

REMARKS

The figures of births and deaths of India shown in this statement for week ending the 23rd March, 1957, relate to 187 towns with an estimated population of 26,284 thousands. Information about Andhra Pradesh, Assam Madhya Pradesh, Pondicherry, Rajasthan and West Bengal could not be included. The total number of towns is 318 and their population is 41,584 thousands. Thus 59% of the total number of towns representing 63% of the total population is covered in this statement. The number of births and deaths recorded in these towns were 16,100 and 6,248 representing birth and death rates of 31.9 and 12.4 per thousand of population respectively.

No town recorded a high death rate of 50 or over per thousand of population. The following table gives the position by States.

States	Current w/e 23-3-1957		Corresponding w/e last year	
	B. R.	D. R.	B. R.	D. R.
Bihar . . .	12.8	5.2	13.8	5.6
Bombay . . .	30.8	13.9	25.4	13.9
Delhi . . .	28.1	7.4	30.0	8.6
Kerala . . .	38.8	10.7	35.4	8.2
Madras . . .	39.3	17.2	39.0	15.5
Mysore . . .	36.8	11.0	23.3	10.4
Orissa . . .	45.6	20.8	48.6	16.1
Punjab . . .	41.1	9.3	31.6	7.1
Uttar Pradesh .	25.5	10.3	34.0	13.2
India* . . .	31.9	12.4	30.1	12.3

*8 States and 1 Centrally Administered Area.

†Figures not available.

NEW DELHI-2 (INDIA) ;
The 15th April, 1957.

K. MITRA,
for Registrar General, India.

